



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/458,354	12/09/1999	STEPHEN G. SCHAIBLE	ACSC-60419	8755

24201 7590 03/24/2004

FULWIDER PATTON LEE & UTECHT, LLP
HOWARD HUGHES CENTER
6060 CENTER DRIVE
TENTH FLOOR
LOS ANGELES, CA 90045

EXAMINER

THISSELL, JEREMY

ART UNIT	PAPER NUMBER
----------	--------------

3763

DATE MAILED: 03/24/2004

20

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/458,354

Applicant(s)

SCHAIBLE ET AL.

Examiner

Jeremy T. Thissell

Art Unit

3763

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 13 January 2004.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-10 and 12-26 is/are pending in the application.
- 4a) Of the above claim(s) 1-7 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 8-10, 12-26 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claim 13 is rejected under 35 U.S.C. 102(b) as being anticipated by Condon et al (US 5,188,596).

Condon teaches all the claimed subject matter, including a transparent shaft section proximal to a non-transparent balloon section (fig 7). See col. 6, lines 32-36 for non-transparent balloon.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 8-10, 12, and 14-26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Condon in view of Muni et al (US 5,316,706).

Condon teaches all the claimed subject matter except for the sizing of the device, and that it is made out of PEEK with particular properties. As discussed in prior office

actions, it would have been obvious to change the size of the device slightly as it is within the level of ordinary skill in the art to change sizes to fit different anatomy of different patients and or for use in different body locations. Further, Muni teaches the use of transparent PEEK with the claimed crystallinity and that it is amorphous. Again, as discussed in previous office actions, it would have been obvious to choose PEEK as a well-known transparent material suitable for use in catheters, and also as previously mentioned, the percent transmission of visible light is considered to be inherent to transparent forms of PEEK.

Response to Arguments

Applicant's arguments filed 13 January 2004 have been fully considered but they are not persuasive.

First, the examiner takes note of Condon's non-conventional use of the terms "proximal" and "distal," as pointed out by applicant. For clarity, the examiner does not rely on Condon's use, but rather refers to what is shown in the drawings, and refers to placement in the conventional manner.

Applicant argued that the Condon reference does not teach that the shaft of the catheter has a non-transparent distal shaft section and a transparent proximal shaft section. However, the examiner again refers to figure 7, which teaches "a non-transparent wall with a plurality of holes or *windows* 68." (Col. 6, lines 43-44) Taking, for example, the most proximally positioned transparent window (i.e. shaft section),

there are non-transparent shaft sections distal to it, as well as non-transparent balloons as discussed above.

Applicant also argued that Condon does not teach an inner tube forming the inflation lumen for the balloon. However, Condon teaches at col. 5, lines 33-38, that the balloons are filled via conduits that may be individual conduits within the outer catheter.

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the mailing date of this final action.

Art Unit: 3763


Contacts

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jeremy T. Thissell whose telephone number is (703) 305-5261. The examiner can normally be reached on 8:30-7:00 Monday through Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Brian Casler can be reached at (703) 308-3552. The fax phone numbers for all fax communications is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-1148.

jt
March 22, 2004


BRIAN L. CASLER
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3700